

Green Chemicals Co., Ltd.

Address: No.6, DingLan Road, AoYang Industrial Park, FuNing, YanCheng, P.R.China Contact: Manager Jiang Tel: +86-515-87883661 E-mail:market@greenchem-china.com

> Verison 1.0 **Revision Date: 01/01/2017**

SAFETY DATA SHEET

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE **COMPANY/UNDERTAKING**

Product identifiers 1.1

Product name Glycidyl Methacrylate

CAS-No. 106-91-2

Details of the supplier of the safety data sheet 1.2

Company: Green Chemicals Co., Ltd

Address: No.6, DingLan Road, AoYang Industrial Park, FuNing, YanCheng, P.R.China

Tel: +86-515-87883661

Email: market@greenchem-china.com

Website: www.greenchem-china.com/

Emergency telephone number:

+86-515-87883665

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Acute toxicity, Oral (Category 4), H302 Acute toxicity, Inhalation (Category 4), H332 Acute toxicity, Dermal (Category 3), H311 Skin corrosion (Category 1C), H314 Skin sensitisation (Category 1), H317

Germ cell mutagenicity (Category 2), H341

Carcinogenicity (Category 1B), H350

Reproductive toxicity (Category 1B), H360F

Specific target organ toxicity - single exposure (Category 1), Respiratory Tract, H370

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 Label elements

Labelling according Regulation (EC) No 1272/2008

Pictogram



Signal word Danger

Hazard statement(s)

H302 + H332 Harmful if swallowed or if inhaled

H311 Toxic in contact with skin.

H314 Causes severe skin burns and eye damage.
H317 May cause an allergic skin reaction.

H317 May cause an allergic skin reaction. H341 Suspected of causing genetic defects.

H350 May cause cancer. H360F May damage fertility.

H370 Causes damage to organs (Respiratory Tract).

Precautionary statement(s)

P201 Obtain special instructions before use.

none

P260 Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.

P280 Wear protective gloves/ protective clothing/ eye protection/ face

protection.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER or doctor/ physician.

Supplemental Hazard

Statements

Restricted to professional users.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Synonyms : Methacrylic acid 2,3-epoxypropyl ester

2,3-Epoxypropyl methacrylate

Formula : C₇H₁₀O₃

Molecular weight : 142,15 g/mol
CAS-No. : 106-91-2
EC-No. : 203-441-9
Index-No. : 607-123-00-4

Hazardous ingredients according to Regulation (EC) No 1272/2008

Component		Classification	Concentration
Glycidyl methacrylat	е		
CAS-No. EC-No. Index-No.	106-91-2 203-441-9 607-123-00-4	Acute Tox. 4; Acute Tox. 3; 1C; Skin Sens. 1; Muta. 2; Carc. 1B; Repr. 1B; STOT SE 1; H302, H332, H311, H314, H317, H341, H350, H360F, H370	<= 100 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

4. FIRST AID MEASURES

4.1 Description of first aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.

In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed

No data available

5. FIRE-FIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

5.2 Special hazards arising from the substance or mixture

Carbon oxides

5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

5.4 Further information

Use water spray to cool unopened containers.

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Wear respiratory protection. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas. For personal protection see section 8.

6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

6.3 Methods and materials for containment and cleaning up

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13). Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For disposal see section 13.

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist. Avoid exposure - obtain special instructions before use.

Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge.

For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Store in cool place. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Recommended storage temperature 2 - 8 °C

Storage class (TRGS 510): Non-combustible, acute toxic Cat.3 / toxic hazardous materials or hazardous materials causing chronic effects

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Components with workplace control parameters

8.2 Exposure controls

Appropriate engineering controls

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

Personal protective equipment

Eye/face protection

Tightly fitting safety goggles. Faceshield (8-inch minimum). Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

Splash contact

Material: Nature latex/chloroprene Minimum layer thickness: 0,6 mm

Break through time: 49 min

Material tested:Lapren® (KCL 706 / Aldrich Z677558, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

Body Protection

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance Form: liquid

Colour: colourless

Odour No data available b) Odour Threshold No data available c) Hq No data available d)

Melting point/freezing point

Melting point/freezing point: -41,49 °C at ca.1.013 hPa

f) Initial boiling point and 189 °C - lit.

boiling range

g) Flash point 76 °C - closed cup

No data available h) Evaporation rate

Flammability (solid, gas) No data available i) Upper/lower No data available i)

flammability or explosive limits

ca.4,2 hPa at 25 °C - OECD Test Guideline 104 Vapour pressure

No data available I) Vapour density

1.042 g/mL at 25 °C - lit. m) Relative density

ca.50 g/l at 25 °C - OECD Test Guideline 105 - hydrolyses n) Water solubility

o) Partition coefficient: n-

octanol/water

log Pow: ca.0,96 at 25 °C - OECD Test Guideline 107

p) Auto-ignition No data available

temperature

Decomposition temperature

No data available

r) Viscosity No data available Explosive properties No data available s) t) Oxidizing properties No data available

9.2 Other safety information

> Solubility in other solvents

Benzene Alcohol

Ether

Surface tension 25 mN/m at 20 °C

10. STABILITY AND REACTIVITY

10.1 Reactivity

No data available

10.2 Chemical stability

Stable under recommended storage conditions.

Contains the following stabiliser(s):

Mequinol (>=50 - <=150 ppm)

10.3 Possibility of hazardous reactions

No data available

10.4 Conditions to avoid

Heat, flames and sparks.

10.5 Incompatible materials

Strong oxidizing agents, Strong acids and strong bases, Peroxides

10.6 Hazardous decomposition products

Other decomposition products - No data available

In the event of fire: see section 5

11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - 597 mg/kg

Inhalation: No data available

LC0 Inhalation - Rat - male and female - 4 h - > 412 ppm

(OECD Test Guideline 403)

LD50 Dermal - Rabbit - 480 mg/kg

Skin corrosion/irritation

Skin - Rabbit

Result: Corrosive, category 1C - where responses occur after exposures between 1 hour and 4 hours and observations up to 14 days. - 4 h

(OECD Test Guideline 404)

Serious eye damage/eye irritation

Eyes - Rabbit

Result: Risk of serious damage to eyes. - 7 d

Respiratory or skin sensitisation

No data available

Germ cell mutagenicity

In vitro tests showed mutagenic effects

Mutation in mammalian somatic cells.

S. typhimurium

Result: positive

Chromosome aberration test in vitro

Lungs

Result: positive

Mutagenicity (micronucleus test)

Mouse

Result: positive

Carcinogenicity

Possible human carcinogen

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as

probable, possible or confirmed human carcinogen by IARC.

Reproductive toxicity

May damage fertility.

Reproductive toxicity - Rat - male and female

Effects on Fertility: Female fertility index (e.g., # females pregnant per # sperm positive females; # females pregnant per # females mated). Effects on Fertility: Male fertility index (e.g., # males impregnating females per # males exposed to fertile nonpregnant females).

Presumed human reproductive toxicant

Specific target organ toxicity - single exposure

Inhalation - The substance or mixture is classified as specific target organ toxicant, single exposure, category 1. - Respiratory Tract

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

Additional Information

RTECS: Not available

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Symptoms of exposure may include burning sensation, coughing, wheezing, laryngitis, shortness of breath, headache, nausea, and vomiting., To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

12. ECOLOGICAL INFORMATION

12.1 Toxicity

Toxicity to fish semi-static test LC50 - Oryzias latipes - 5,7 mg/l - 96 h

(OECD Test Guideline 203)

Toxicity to daphnia and

semi-static test EC50 - Daphnia magna (Water flea) - 24,9 mg/l - 48 h

other aquatic

invertebrates

(OECD Test Guideline 202)

Toxicity to algae static test IC50 - Selenastrum capricornutum (green algae) - 14,6 mg/l - 72 h

(OECD Test Guideline 201)

12.2 Persistence and degradability

Biodegradability aerobic Biochemical oxygen demand - Exposure time 28 d

Result: 94 % - Readily biodegradable

(OECD Test Guideline 301C)

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Other adverse effects

Toxic to aquatic life.

13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product

This combustible material may be burned in a chemical incinerator equipped with an afterburner and scrubber. Offer surplus and non-recyclable solutions to a licensed disposal company.

Contaminated packaging

Dispose of as unused product.

14. TRANSPORT INFORMATION

14.1 UN number

ADR/RID: 2922 IMDG: 2922 IATA: 2922

14.2 UN proper shipping name

ADR/RID: CORROSIVE LIQUID, TOXIC, N.O.S. (Glycidyl methacrylate) IMDG: CORROSIVE LIQUID, TOXIC, N.O.S. (Glycidyl methacrylate)

IATA: Corrosive liquid, toxic, n.o.s. (Glycidyl methacrylate)

14.3 Transport hazard class(es)

ADR/RID: 8 (6.1) IMDG: 8 (6.1) IATA: 8 (6.1)

14.4 Packaging group

ADR/RID: III IMDG: III IATA: III

14.5 Environmental hazards

ADR/RID: no IMDG Marine pollutant: no IATA: no

14.6 Special precautions for user

No data available

15. REGULATORY INFORMATION

This safety datasheet complies with the requirements of Regulation (EC) No. 453/2010.

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

15.2 Chemical Safety Assessment

For this product a chemical safety assessment was not carried out

16. OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3.

H302	Harmful if swallowed.	
H302 + H332	Harmful if swallowed or if inhaled	
H311	Toxic in contact with skin.	
H314	Causes severe skin burns and eye damage.	
H317	May cause an allergic skin reaction.	
H332	Harmful if inhaled.	
H341	Suspected of causing genetic defects.	
H350	May cause cancer.	
H360F	May damage fertility.	
H370	Causes damage to organs if inhaled.	

Further information

For R&D use only. Not for drug, household or other uses.

WARRANTY:

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Green Chemicals Co.,Ltd shall not be held liable for any damage resulting from handling or from contact with the above product. See reverse side of invoice or packing slip for additional terms and conditions of sale.